

Bee Pests and Disease

Medina County Beekeepers Association
Tim R. Moore

<https://myminiurl.net/TU5Wx>

I'm so happy to be here!



**For the MCBA Beginner Class
of 2022!**

Tim R. Moore

- Co-owner of **Elk Creek Honey Farm, LLC**. About 150 hives in thirteen apiaries. Produce wholesale/retail honey and other hive products. Also produce a few queens and nucs.
- Kept bees since 2004 but didn't become successful until after I started learning from local beekeepers. I lost all my bees for the first four years.
- Lorain County Apiary Inspector for 4 years, 2011-2014. Seen all the pests and diseases.



Things about our discussion today:

- **THERE ARE NO DUMB QUESTIONS** if you don't know please ask. This is a very casual environment – no pressure.
- **I don't know-it-all** and don't pretend to. I ask questions all the time. Learning never stops. Learning takes effort.
- I change my opinions over time.
- **Please – no filming or recording.** Photos are okay.

Why talk about disease and pests?

- I get to talk about **pests and disease** – Oh Boy!
- Pests and disease is a BIG problem. **Most hives die because of pests and disease.**
- To be successful, you need to be able to **identify problems, make decisions, and act.** Hesitation may mean losing hives.
- Steep learning curve. Beekeeping isn't easy to learn. **Be prepared to lose some bees.** Most new beekeepers get too discouraged too quickly and lose interest. May take 5+ years to get comfortable.
- **Gets easier every year** if you take every opportunity to learn: Association meetings, conferences, books, magazines, mentors, experience. Internet: Beesource.com (be careful-beekeeping is local!!).

It's all Interrelated!!



A Hive

So what's so hard about that?

To be successful, you need to be able to identify problems, make decisions, and act. Hesitation may result in losing bees.

Identify Problems – First must know what is normal and abnormal. Comes with experience.

Make Decisions – Must know your options and anticipate outcomes of various choices. What are the risks? What are the benefits?

Act – Have enough confidence in your abilities to properly identify the problems and then act with confidence.

So what's so hard about that?

The “secret” to successful beekeeping:

Give the bees what they need when they need it:

Mite treatments, sugar syrup, more room, less room, pollen substitute, windbreaks, new queens, drawn comb, foundation, honey supers, water, more brood frames, less brood frames, ventilation, etc., etc., etc.

So what's so hard about that?

There's a science and an art to beekeeping.

The science can be learned by reading books, studying, attending meetings, talking to other beekeepers, etc.

The art is learned through experience. The more hours you spend in your hives, the more experience you will gain, the faster you will develop the art of beekeeping.

It takes time to acquire both knowledge and skill!!

Decisions, decisions, decisions . . .

Making a wrong decision is better than making no decision because you will rarely learn something from doing nothing.

- However -

Sometimes doing nothing is the right decision! Make sure “doing nothing” is a decision to give the bees more time and not your strategy for keeping bees.

What is a normal hive for us, here in NE Ohio?

- Presence of some Varroa Mites (you can't kill them all)
- Presence of a low number of Small Hive Beetles (SHB)
- Not unusual to have low levels of microscopic Nosema spores in bee's gut.
- Presence of honey bee eggs, or larvae, or capped brood (or all three) from February to December. There can be a totally broodless period after a swarm lasting maybe a week or two.
- A small number of dead bees at the hive opening.
- A small number of dead bees or bees appearing to be lost or unable to fly on the ground in front of the hive in summer/late summer.

Objective and Methodology

The **objective** of this class is to get you thinking about:

1. How to recognize if things are going wrong
2. How you plan to manage pests and disease in your hives before there's a problem

“An ounce of prevention is worth a pound of cure”

What do know about bee disease? More than you think!

Dog in a dog house:
Familiar to us



Bees in a bee house:
Unfamiliar to us



Let's start with the 'dog in the dog house' because we are familiar with dogs.



Let's list some of the potential stresses this dog encounters as it survives in its environment:

Lack of Water

Malnutrition

External Parasites

Internal Parasites

Viral Diseases

Bacterial Diseases

Fungal Diseases

Pests

Environment: Heat, Cold, Wind

O.K. Dogs done . . . now let's talk Bees



Let's list some of the potential stresses the bees encounter as they survive in their environment:

Lack of Water

Malnutrition

External Parasites

Internal Parasites

Viral Diseases

Bacterial Diseases

Fungal Diseases

Pests

Environment: Heat, Cold, Wind

With all these things potentially stressing our bees, how can they live without our help?

Very seldom will only one stress cause the hive to fail


Combination of:

- Nutrition and hydration
- Temperature extremes
- Ectoparasites
- Endoparasites
- Bacteria
- Funguses
- Viruses
- Genetics unable to adapt to our climate



What I found when inspecting bees. I used four categories of hive health.

Stress factors are cumulative



What can you do to avoid decline?

Stress factors are cumulative



- Reduce environmental stress
- Reduce nutritional stress
- Identify and treat parasites
- Identify and treat diseases
- Limit pests
- Local, Productive queens

What can you do to avoid decline?

Stress factors are cumulative



Actual Case Study:

Since the hive is dependent on its owner to identify and correct stresses,

What will happen to an apiary if the owner fails to recognize stress and fails to act?

Actual Case Study:

A prominent local beekeeper with 26 hives suddenly dies. No care for 3 years. I arrive to inspect the apiary.



**How many hives are still alive
after 3 years of neglect?**



6 Hives Alive – 77% loss



Base on Ohio statistics: If an average beekeeper managed those 26 hives, how many hives would have survived after three years of average hive management? (No replacements)



9 Hives – 65% loss



Just one more hive survives per year . . . Why?

Just one more hive survives per year . . . Why?



An expectation that bees don't need our help?

Just one more hive survives per year . . . Why?



Buzz Words:

“Treatment Free”
“Natural Beekeeping”
“Chemical Free”

These methods require advanced management skills beyond a new beekeepers skill level

Use time proven beekeeping methods until overwintering success is achieved first!

Just one more hive survives per year . . . Why?



Biggest killers of our hives:

- Varroa & vectored viruses
- Nutritional deficiency
- Queen issues
- Little to no hive management

A philosophy that bees don't need our help

Just one more hive survives per year . . . Why?



Decide for yourself:

1. I want to keep my bees alive over the winter (takes effort)
2. I want to replace my bees every spring (takes money)

A philosophy that bees don't need our help


What does a healthy hive look like?



• **Not too much or too little room for the number of bees.**

- Adequate population of bees for season
- Always honey and pollen stores in hive
- Glistening white larvae
- Brood in all stages of development (unless swarming conditions)
- Healthy hive smell (No offensive smell)
- Activity at front on warm, sunny days

What does a stressed hive look like?



What does a stressed hive look like?



No. 1
Problem



Varroa Mites: (external parasite)

- Monitor mite infestation level.
- Alcohol wash is best
- Prick 10 drone larvae (purple eye) > 3 mites treat
- Decide on your management strategy now – do research
- Keep records. Every hive is different.

What does a stressed hive look like?

No. 2 Problem



Viruses:

- Bees crawling on ground – especially drones.
- String-wing/deformed abdomen/stunted growth
- Twitching, trembling
 - Oftentimes confused with pesticide exposure
- Very common with high mite counts

Varroa mites as Vectors



These Honey bee viruses have been shown to be associated with *V. destructor* infestation:

- ** Deformed wing virus (DWV),
- Acute Paralysis Virus (APV),
- Israeli acute paralysis virus (IAPV)
- Chronic Bee Paralysis Virus (CBPV);
- Bee Paralysis Virus (SPV),
- Black Queen Cell (BQCV),
- Kashmir Bee Virus (KBV),
- Cloudy Wing Virus (CWV), and Sacbrood
- Virus (SBV)

What does a stressed hive look like?



No. 3
Problem

Snotty Brood/Parasitic Mite Syndrome (PMS)

- Lots of dead bees on ground in front of opening.
- Dead, dried-up white larvae in open cells.
- Milky-white larvae – little or no roping
- Often perforated brood caps
- Spotty pattern & dead emerging bees
- Often confused with pesticide exposure or European foulbrood
- Very common with high mite counts in late summer

What does a stressed hive look like?



No. 4
Problem

European Foulbrood: (bacteria)

- Swollen, random discolored larvae
- Usually confined to section of frame.
- Be careful not to cross contaminate to healthy hives
- Not uncommon in nucs from southeastern states
- Easily controlled with Tetracycline

What does a stressed hive look like?



Dysentery:

No. 5
Problem

- Listless bees
- Colony doesn't build population
- Dark red to brown color blotches on top of frames, around entrance of hive.
- Be careful not to cross contaminate to healthy hives
- Not uncommon over winter (usually a result of stress)
- Usually clears up in a flow

What does a stressed hive look like?



No. 6
Problem

American Foulbrood: (bacteria)

- Spotty capped brood
- Bad smell – decay
- Stringy, caramel-color larvae
- Usually found in section of frame.
- Be careful not to cross contaminate to healthy hives
- Not uncommon
- Robbing (maybe SHB)
- **Used equipment**/swapping frames

What does a stressed hive look like?



No. 6
Problem

American Foulbrood: (bacteria)

- **Used equipment**/swapping frames
- Do not use someone else's used equipment as it may be contaminated with American Foulbrood.
- Most beekeepers would not be able to recognize it.
- New beekeepers can and have gotten American Foulbrood

What does a stressed hive look like?



Chalkbrood/Stonebrood: (fungal)

- Springtime/wet weather
- Spotty capped brood
- Hard, white larvae
- Mummies seen on bottom board or in front of hive
- I've only seen two severe cases in two years bad enough to take action (requeen)

What does a stressed hive look like?



Chilled Brood

- March, April, May & Fall
- Sudden cold snap
- Outer edges of brood nest dies
- Bees remove dead larvae & pupae – usually white.
- Yellowish-white tinged in black and then black.

What does a stressed hive look like?



Small Hive Beetle: (pest)

- Can be seen scurrying around hive
- Larvae looks shiny/plastic/wiggly
- Keep empty hive space to minimum
- Enough bees to cover comb/stores
- Beetle Jail trap with bait works O.K.
- Mostly a nuisance but will overwhelm weak/queenless hives


What does a stressed hive look like?



Wax Moth: (pest)

- Late summer/fall
- Webs
- Dusty, dull larvae burrows through comb
- Pupae burrows into wood leaving indentation
- Watch comb not guarded by bees; or comb in storage
- Freeze combs or use Paramoth
- Bees will clean-up mess

What does a stressed hive look like?



Yellow Jacket Wasps:

- No outside visual symptoms
- Some years worse than others
- Some areas worse than others
- Attack when bees are clustered on autumn days.
- Restrict hive openings.
- Eat bees, honey, pollen, brood.
- May overwhelm weak hives
- Trap Yellow Jacket queens in spring

What does a stressed hive look like?



Mice:

- No outside visual symptoms
- Destroyed frames and foundation in Winter.
- Mice eat honey when bees are clustered for winter.
- Mouse guards should be in place before first hard frost.
- Shrews eat bees. If you can get in opening with your finger, shrews can get in.

What does a stressed hive look like?



Skunks:

- Bare dirt & scratches in front of hive
- Eat bees at night as they defend hive.
- Look for piles of dung with bee parts. Poop smells like a skunk.
- Not usually a problem, but when faced with skunks you should do something about it.




What does a stressed hive look like?



Pesticides:

- Usually from someone who doesn't like your bees. Intentional attempt to kill hive – call sheriff.
- Can be from anyone using pesticides in and around flowers.
- Sevin dust is very deadly.
- Farmers spraying fields – drifting insecticides.
- Tell farmers that you have bees. 10-20% kill. Recovers quickly.

What does a healthy hive look like?



Crystallized Honey:

- White chunks in comb in Spring
- Bees remove
- Find it on bottom board
- Often confused with disease

What does a healthy hive look like?



Entrance Reducer:

- Reduces stress
- Less bees required to guard entrance
- Reduces robbing bees
- Hive beetles & yellow jackets
- On all year except during formic treatments

To monitor or not to monitor for mites?

If you do monthly monitoring for mites before treatments, you will not subject your hives to unneeded treatments.

- Save money on treatments
- Will take more time

If you don't monitor for mites, you will need to put in place an annual mite treatment regimen.

- Will spend more on mite treatments
- May over/under treat some hives
- Will take less time

Roll methods (collectively):

1. Capture about 300 bees in a jar (little less than $\frac{1}{2}$ cup)
2. Get bees from brood frames, not honey super frames!
3. Separate the mites from the bees.
4. Count mites to estimate mite infestation percentage:

Treat immediately if:

9-10 mites per sample is usual fall threshold (3%)

4-6 mites per sample is usual spring threshold (1-2%)

Advantages: Most accurate method


Disadvantages: Time consuming



Drone Pupae Inspection:



Honey Bee Seasonal Phases



My Current Mite Strategy That's Working Well:

Early Spring (March) – Before Maple bloom, oxalic acid vaporization treatment.

Summer (July) – After removing spring honey supers, full treatment of Formic Pro or MAQS

Early Fall (September) – After removing summer honey supers, full treatment of Formic Pro or MAQS

Early Winter (Thanksgiving/Christmas) – Oxalic acid vaporization treatment.




Figure 1. Simplified bee and mite population growth curves for a temperate climate. The mite growth curve lags behind the bee curve. Note how the number of mites per hundred bees greatly increases in fall. A colony is unlikely to survive a fall infestation rate this high.

Oxalic Acid Vaporizers



Approx 5-7 minutes per hive



Approx 1 minute per hive

Formic Acid



Mite Away Quick Strips or Formic Pro

Apivar



Synthetic Chemical Treatment – 5-6 weeks. Not temperature dependent

If possible, monitor again after treatment

We have to ensure that the treatment worked and we need to keep monitoring mite levels. Once the threshold is reached again, treat.

If you suspect you have a problem – ask!

- 1. Contact an experienced beekeeper or club mentor**
- 2. Contact the county apiary Inspector for help**
- 3. Ask someone at your bee supply store (have received a lot of bad info)**
- 4. Contact the state apiary inspector for help**
- 5. Get a good reference book with lots of pictures**
- 6. Research on Internet (be careful on forums)**
- 7. Send samples to Beltsville Bee Lab**
- 8. If American Foulbrood – no cure. Will continue to infect bees put on the infected comb.**
- 9. Be very careful about used equipment. Keep your own equipment clean, repaired, sanitized, and be mindful about cross-contamination.**

My Suggestions

- **Use hive entrance reducers (opinion)**
- **Keep your hives located in full sun (if possible)**
- **Inspect your hives every 10-14 days**
Starting at Silver Maple bloom, ending at first heavy frost.
- **Monitor for mites once a month or stay on a regimen**
- **Buy only local or Ohio queens**
- **Adequate nutrition is number 1 (nectar and pollen)**

My Suggestions

- **Take your time before adding a lot of hives to your apiary or starting out-yards.**
- **Try to learn to manage bees without using leather gloves.**
- **Use standard beekeeping methods until you have mastered standard beekeeping methods. There will be plenty of opportunity to experiment and try more advanced methods. Attain overwintering 70% or more of your hives and produce about 50 lbs. of surplus honey per hive.**
- **Only start new hives with packages until you can recognize problems in a nuc. Or buy nucs from a reputable local source.**
- **If you suspect that you have a problem, ask someone for help before the problem gets too big for anyone to help you.**
- **Go into winter with strong, healthy, well-fed colonies.**

Summary - Have Fun!

Just like our dog in the dog house, our bees in a bee house are continuously subject to the stresses of living in an increasingly hostile environment.

Bees need our help to thrive and survive. With knowledge and experience, you will be able to anticipate their stresses. Beekeepers with a management plan can overwinter 80-100% of their hives successfully every Winter.

Challenge yourself to learn as much as you can and keep an open mind to new ideas.

The bees are your best teacher - observe and learn! What the bees tell you is the ONLY opinion that counts. The bees will let you know if you are on the right or wrong path to success.

Everything Worthwhile Takes Time and Effort

Remember this . . .

If you don't remember anything else, remember this:

Beekeeping is Local!

No one in the world knows better how to keep bees alive in NE Ohio
but the people who keep bees alive in NE Ohio.

**Welcome to
Beekeeping!**

